

Work Order ID 145522

Friday, May 06, 2016 9:07:47 AM

145522

Page 1

Item ID: D500-572-011

Accept

N900040100

Setup Start ***NS1***

Revision ID:

Stop ***NS2***

Item Name: MD369/MD500 Bearpaws

Start Date: 4/25/2016 Start Qty: 400

4

Cust Item ID:

Required Date: 5/5/2016 Req'd Qty: 400

4

Customer:

Reference:

Approvals: Process Plan: Em

Date: 16/05/09

Tooling:

Date:

Run Start ***NR1***

QC:

Date:

SPC (Y/N):

Date:

Stop ***NR2***

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
Draw Nbr	Revision Nbr								
D2435	Rev E1								
IIND500-572	RevA								
100	Document Control	0.00							
100	DOCUMENT CONTROL								
DC	Memo	0.00							
Doc.Control -USB or Paperwork		Photocopy bluefile and create labels per PPP D500-572-011 CHG005							
160	Pick Kit	0.00							
160	Packaging								
Packaging	Memo	0.00							

MW 1605-11

27

DAS 27 9-89

MAY 12 2016

MAY 09 2016

27

DAS

6 9-89

DAS

28 9-89

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date :		Step #:		QTY Effective :			MRB (QSI042) Approval 		
Description Work Order Deviation				Disposition					
								Completed By	
								Lead hand / Supervisor Approval Verification	
								QC / QA Coordinator Approval	

Root Cause				FAULT CATEGORY			
Environment ☐	☐ No Re-verification	☐ Pressure/Forced	☐ Temperature/Cure	☐ Power Loss/Surge	☐ Positioned Wrong		
Design ☐	☐ Operator	☐ Bending	☐ Set-up	☐ Folio/Program	☐ Outside Dimensions		
Doc/Data ☐	☐ Offset/Setup	☐ Centre Not Concentric	☐ BOM/Route	☐ Grain	☐ Over/Under tolerance		
Equip/Tooling ☐	☐ Supplier	☐ Cracks	☐ Broken/Damage/Defect	☐ Weld	☐ Part Incorrect		
Handling/Pre ☐	☐ Training	☐ Crimp/Kink/Ripple/Wave	☐ Inspection Incomplete/Unqualified	☐ Wrong Stock Pulled	☐ Part Lost/Missing		
Material ☐	☐ Use for Testing	☐ Cuffs	☐ Contamination	☐ Out of Sequence	☐ Part Moved		
Internal Transport ☐	☐ Poor Information	☐ Crushing	☐ Countersink	☐ Off-set	☐ Drawing		
Tribal Knowledge ☐	☐ Rushing	☐ Heat Treat	☐ Cut Too Short	☐ Mislabeled	☐ Finish		
LOA ☐	☐ Product Improvement	☐ Wave/Twist in Tube	☐ Instructions Incomplete/Unclear	☐ Fit/Function	☐ Misread		
Substation ☐	☐ Process Improvement	☐ Marks/Chatter	☐ Drill Holes	☐ Misaligned/off center	☐ Turning Sequence		
Past Expiry Date ☐	☐ Manufacturing Process	OTHER : _____					
Misidentified ☐	☐ Past Due						

Work Order ID 145522

Friday, May 06, 2016 9:07:47 AM

145522

Page 2

Item ID: D500-572-011

Accept

N900040100Setup Start ***NS1***

Revision ID:

Stop ***NS2***

Item Name: MD369/MD500 Bearpaws

Start Date: 4/25/2016 Start Qty: 4.00 ***4***

Cust Item ID:

Required Date: 5/5/2016 Req'd Qty: 4.00 ***4***

Customer:

Reference:

Approvals: Process Plan: _____ Date: _____ Tooling: _____ Date: _____

Run Start ***NR1***

QC: _____ Date: _____ SPC (Y/N): _____ Date: _____

Stop ***NR2***

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
--------------------------------	--------------------------	----------------------	---------	--------	--------------	---------------	---------------	------------------	----------------

170

QC4- 100% Inspect kits for completeness

0.00

170

QC

Memo

0.12

Quality Control

X2

SAS
27
9-03
MAY 12 2016

180

Packaging

0.00

180

Packaging

Memo

0.00

Packaging

Identify and pack for shipping as per PPPD500-572-011

LOCATION: FG013

X2

SAS
27
9-03
MAY 12 2016

190

QC21- Final Inspection - Work Order Release

0.00

190

QC

Memo

0.40

Quality Control

MCS

MAY 12 2016

Lm 16/05/12

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date :		Step #:		QTY Effective :			MRB (QSI042) Approval 		
Description Work Order Deviation				Disposition					
								Completed By	
								Lead hand / Supervisor Approval Verification	
								QC / QA Coordinator Approval	

Root Cause				FAULT CATEGORY			
Environment ☐	☐ No Re-verification	☐ Pressure/Forced	☐ Temperature/Cure	☐ Power Loss/Surge	☐ Positioned Wrong		
Design ☐	☐ Operator	☐ Bending	☐ Set-up	☐ Folio/Program	☐ Outside Dimensions		
Doc/Data ☐	☐ Offset/Setup	☐ Centre Not Concentric	☐ BOM/Route	☐ Grain	☐ Over/Under tolerance		
Equip/Tooling ☐	☐ Supplier	☐ Cracks	☐ Broken/Damage/Defect	☐ Weld	☐ Part Incorrect		
Handling/Pre ☐	☐ Training	☐ Crimp/Kink/Ripple/Wave	☐ Inspection Incomplete/Unqualified	☐ Wrong Stock Pulled	☐ Part Lost/Missing		
Material ☐	☐ Use for Testing	☐ Cuffs	☐ Contamination	☐ Out of Sequence	☐ Part Moved		
Internal Transport ☐	☐ Poor Information	☐ Crushing	☐ Countersink	☐ Off-set	☐ Drawing		
Tribal Knowledge ☐	☐ Rushing	☐ Heat Treat	☐ Cut Too Short	☐ Mislabeled	☐ Finish		
LOA ☐	☐ Product Improvement	☐ Wave/Twist in Tube	☐ Instructions Incomplete/Unclear	☐ Fit/Function	☐ Misread		
Substation ☐	☐ Process Improvement	☐ Marks/Chatter	☐ Drill Holes	☐ Misaligned/off center	☐ Turning Sequence		
Past Expiry Date ☐	☐ Manufacturing Process	OTHER : _____					
Misidentified ☐	☐ Past Due						

Picklist Print

Friday, May 06, 2016 9:07:46 AM

Page 1
13

Work Order ID: 145522

145522

Parent Item: D500-572-011

D500-572-011

Parent Item Name: MD369/MD500 Bearpaws

Start Date: 4/25/2016

Required Date: 5/5/2016

Start Qty: 4.00

Required Qty: 4.00

Comments: IPP Rev:C04.02.17Blank size changedKJ/JLM
IPP Rev:D 07-01-02 Was K10007 JLM
IPP Rev:E 08-01-09 Added Step 2 JLM Verified By:EC
IPP Rev:F 08-10-15 New Manufacturing Method JLM Verified By:EC

Component Item ID/ Item Name	Replacement Item ID	Mfg/ Purch	Bin Item	Primary Location	Last Location	Route Seq ID	Unit of Measure	Qty on Hand	Qty per Kit	Total Qty	Qty Issued	Date Issued	Status
QS200-M44S, *QS200-M44S* CLAMP		Purchased	No			120	Each	30.0000	2	24			DAS 8 9-89 DAS 28 9-89

DAS
27
9-89

Location	Loc Qty	Loc Code
ST545	30	
m131340 + 4	10	
m133363	20	

154
16

AN4-15A *AN4-15A* Bolt		Purchased	No			170	Each	320.0000	8	3216			DAS 8 9-89 DAS 28 9-89
-------------------------------------	--	-----------	----	--	--	-----	------	----------	---	------	--	--	---------------------------------------

DAS
27
9-89

Location	Loc Qty	Loc Code
GA	34	
120449	34	
over003	200	
m134676	200	
ST343	86	
m134606	86	

16

D2182B *D2182B* Rubber Cushion - Black (\$Per Foot)		Manufactured	No			170	f	435.3793	1.666	6.664			DAS 8 9-89 DAS 28 9-89
--	--	--------------	----	--	--	-----	---	----------	-------	-------	--	--	---------------------------------------

030

DAS
27
9-89

Location	Loc Qty	Loc Code
ST411	435.3793	
130427	85.3793	
135093	350	

144001

MAY 09 2016

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date :		Step #:		QTY Effective :			MRB (QSI042) Approval		
Description Work Order Deviation				Disposition				Completed By	
								Lead hand / Supervisor Approval Verification	
Root Cause		FAULT CATEGORY							
Environment ☐	No Re-verification ☐	Pressure/Forced ☐	Temperature/Cure ☐	Power Loss/Surge ☐	Positioned Wrong ☐				
Design ☐	Operator ☐	Bending ☐	Set-up ☐	Folio/Program ☐	Outside Dimensions ☐				
Doc/Data ☐	Offset/Setup ☐	Centre Not Concentric ☐	BOM/Route ☐	Grain ☐	Over/Under tolerance ☐				
Equip/Tooling ☐	Supplier ☐	Cracks ☐	Broken/Damage/Defect ☐	Weld ☐	Part Incorrect ☐				
Handling/Pre ☐	Training ☐	Crimp/Kink/Ripple/Wave ☐	Inspection Incomplete/Unqualified ☐	Wrong Stock Pulled ☐	Part Lost/Missing ☐				
Material ☐	Use for Testing ☐	Cuffs ☐	Contamination ☐	Out of Sequence ☐	Part Moved ☐				
Internal Transport ☐	Poor Information ☐	Crushing ☐	Countersink ☐	Off-set ☐	Drawing ☐				
Tribal Knowledge ☐	Rushing ☐	Heat Treat ☐	Cut Too Short ☐	Mislabeled ☐	Finish ☐				
LOA ☐	Product Improvement ☐	Wave/Twist in Tube ☐	Instructions Incomplete/Unclear ☐	Fit/Function ☐	Misread ☐				
Substation ☐	Process Improvement ☐	Marks/Chatter ☐	Drill Holes ☐	Misaligned/off center ☐	Turning Sequence ☐				
Past Expiry Date ☐	Manufacturing Process ☐	OTHER : _____							
Misidentified ☐	Past Due ☐								

Picklist Print

Friday, May 06, 2016 9:07:46 AM

Page 2

Work Order ID: 145522

145522

Parent Item: D500-572-011

D500-572-011

Parent Item Name: MD369/MD500 Bearpaws

Start Date: 4/25/2016

Required Date: 5/5/2016

Start Qty: 4.00

Required Qty: 4.00

D2274 Manufactured No

170 Each 434.0000 8

32/16

D2274

Radius Block

**

DAS
28
9-89

Location Loc Qty Loc Code

FG 12

86855 12

ST006 422

144391 422

16
84

D2435 Manufactured No

170 Each 4.0000 2

D2435

Bearpaw

**

DAS
28
9-89

Location Loc Qty Loc Code

ST446A 4

117114 2

137487 2

3
2

D2438 Manufactured No

170 Each 84.0000 4

D2438

Clamp

**

DAS
28
9-89

Location Loc Qty Loc Code

ST542 84

131052 24

140182 60

8

D2529 Manufactured No

170 Each 321.0000 8

D2529

Washer

**

DAS
28
9-89

Location Loc Qty Loc Code

ST008 321

141458 20

143819 301

16

MAY 11 2016

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____	DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐	AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐			
Date : _____	Step #: _____	QTY Effective : _____		MRB (QS1042) Approval	
Description Work Order Deviation		Disposition		Completed By	
				Lead hand / Supervisor Approval Verification	
				QC / QA Coordinator Approval	
Root Cause		FAULT CATEGORY			
Environment ☐ Design ☐ Doc/Data ☐ Equip/Tooling ☐ Handling/Pre ☐ Material ☐ Internal Transport ☐ Tribal Knowledge ☐ LOA ☐ Substation ☐ Past Expiry Date ☐ Misidentified ☐ No Re-verification ☐ Operator ☐ Offset/Setup ☐ Supplier ☐ Training ☐ Use for Testing ☐ Poor Information ☐ Rushing ☐ Product Improvement ☐ Process Improvement ☐ Manufacturing Process ☐ Past Due ☐	Pressure/Forced ☐ Bending ☐ Centre Not Concentric ☐ Cracks ☐ Crimp/Kink/Ripple/Wave ☐ Cuffs ☐ Crushing ☐ Heat Treat ☐ Wave/Twist in Tube ☐ Marks/Chatter ☐ Temperature/Cure ☐ Set-up ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Inspection Incomplete/Unqualified ☐ Contamination ☐ Countersink ☐ Cut Too Short ☐ Instructions Incomplete/Unclear ☐ Drill Holes ☐	Power Loss/Surge ☐ Folio/Program ☐ Grain ☐ Weld ☐ Wrong Stock Pulled ☐ Out of Sequence ☐ Off-set ☐ Mislabeled ☐ Fit/Function ☐ Misaligned/off center ☐ Positioned Wrong ☐ Outside Dimensions ☐ Over/Under tolerance ☐ Part Incorrect ☐ Part Lost/Missing ☐ Part Moved ☐ Drawing ☐ Finish ☐ Misread ☐ Turning Sequence ☐			
OTHER : _____					

Picklist Print

Friday, May 06, 2016 9:07:47 AM

Page 3

Work Order ID: 145522

145522

Parent Item: D500-572-011

D500-572-011

Parent Item Name: MD369/MD500 Bearpaws

Start Date: 4/25/2016

Required Date: 5/5/2016

Start Qty: 4.00

Required Qty: 4.00

MS21042L4

Purchased

No

170

Each

1,670.000

8

321p

MS21042L4

Locknut

**

DAS
28
9-89

Location

Loc Qty

Loc Code

GA	279
m133769	279
OVER007	500
m134676	500
ST303	794
m134606	794
ST305	97
m130922	97

16

DAS
27
9-89

NAS1149D0463J

Purchased

No

170

Each

1,420.000

8

321p

NAS1149D0463J

WASHER

**

DAS
28
9-89

Location

Loc Qty

Loc Code

GA	328
M132035	21
M134508	307
ST260a	998
M134634	998
ST263	94
M134508	94

16

DAS
27
9-89

MAY 09 2016

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date : _____		Step #: _____		QTY Effective : _____			MRB (QSI042) Approval 		
Description Work Order Deviation				Disposition					
							Completed By		
							Lead hand / Supervisor Approval Verification		
							QC / QA Coordinator Approval		
Root Cause		FAULT CATEGORY							
Environment ☐ Design ☐ Doc/Data ☐ Equip/Tooling ☐ Handling/Pre ☐ Material ☐ Internal Transport ☐ Tribal Knowledge ☐ LOA ☐ Substation ☐ Past Expiry Date ☐ Misidentified ☐	No Re-verification ☐ Operator ☐ Offset/Setup ☐ Supplier ☐ Training ☐ Use for Testing ☐ Poor Information ☐ Rushing ☐ Product Improvement ☐ Process Improvement ☐ Manufacturing Process ☐ Past Due ☐	Pressure/Forced ☐ Bending ☐ Centre Not Concentric ☐ Cracks ☐ Crimp/Kink/Ripple/Wave ☐ Cuffs ☐ Crushing ☐ Heat Treat ☐ Wave/Twist in Tube ☐ Marks/Chatter ☐	Temperature/Cure ☐ Set-up ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Inspection Incomplete/Unqualified ☐ Contamination ☐ Countersink ☐ Cut Too Short ☐ Instructions Incomplete/Unclear ☐ Drill Holes ☐	Power Loss/Surge ☐ Folio/Program ☐ Grain ☐ Weld ☐ Wrong Stock Pulled ☐ Out of Sequence ☐ Off-set ☐ Mislabeled ☐ Fit/Function ☐ Misaligned/off center ☐	Positioned Wrong ☐ Outside Dimensions ☐ Over/Under tolerance ☐ Part Incorrect ☐ Part Lost/Missing ☐ Part Moved ☐ Drawing ☐ Finish ☐ Misread ☐ Turning Sequence ☐	OTHER : _____			



DESIGN	DRAWN BY	DART AEROSPACE LTD
KE	KE	HAWKESBURY, ONTARIO, CANADA
CHECKED	APPROVED	DRAWING NO.
KE	KE	D2435
DATE	TITLE	SHEET 1 OF 2
98.05.19	BEARPAW	SCALE
		1:5

RELEASED
14.06.17 KE


ENGRAVE LOGO TO MAX DEPTH OF 0.012. ENGRAVE PART AND BATCH NUMBERS TO MAX DEPTH OF 0.010. (TYPICAL LOCATION AS ILLUSTRATED)

A	96.01.24	NEW ISSUE
B	96.03.26	CHANGE BORE AND C'BORE DEPTH
C	97.05.07	CHANNEL & C'BORE DEPTH CHANGED
D	97.10.17	R1.5 BORE WAS R2.637 (TSR A469)
E	98.05.19	CHANGE C'BORE, R1.58 WAS R1.50

EFFECTIVE DEOS

9143	
------	--

E1 02.12.17 $\phi 0.93$ WAS $\phi 0.75$ REA






$\phi 0.260$ (TYP) $\phi 0.93$ C'BORE
 ~~$\phi 0.75$ C'BORE~~ 0.30 DEEP FROM BOTTOM
0.35 DEEP FROM TOP (MIN.)
0.30 DEEP FROM BOTTOM
(LEAVE 0.300 MIN.)
(LEAVE 0.650 MIN.)
0.375 (TYP)

MATERIAL: UHMW BLACK PER SPEC CONTROL DRAWING D2689
1.00 THICK (MACHINE TO 0.950)



DESIGN <i>KE</i>	DRAWN BY <i>KE</i>	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
CHECKED <i>DB</i>	APPROVED <i>KE</i>	DRAWING NO. D2435	REV. E SHEET 2 OF 2
DATE 98.05.19		TITLE BEARPAW	SCALE 1:4

RELEASED
99.06.17 KE




DART



DESIGN	JB	DRAWN BY	DART AEROSPACE LTD HAMMERSBURY, ONTARIO, CANADA	REV. B
CHECKED	JB	APPROVED	DRAWING NO.	SHEET 1 OF 1
DATE	99.06.07	TITLE	D2161	SCALE
			MIRROR BRACKET	NTS
	A	93.04.29	NEW ISSUE	
	B	99.06.07	REDRAWN FOR CLARITY ADDED -204/-205/-212 DESIGNATIONS	
	B1	02.03.25	CHANGE FINISH	
	B2	02.06.10	D2037-101 WELD	

RELEASED
DATE 99.06.10



DETAIL OF D2161-204
DETAIL OF D2161-205
DETAIL OF D2161-212

NOTE: WELD ASSEMBLY
USING JIG DT8065

FINISH: ~~POWDER COAT ASSEMBLY BLACK~~
~~CRINKLE (4.3.5.3) PER DART QSI 005 4.3~~
POWDER COAT BLACK SANDTEX (4.3.5.7) PER
DART QSI 005 4.3 (B)

REFERENCE ONLY

4. WEIGHT AND BALANCE

Installation	Weight	LATERAL		LONGITUDINAL	
		Arm	Moment	Arm	Moment
D500-572-011 Bearpaw Installation	8.5 lb 3.86 kg	0.0 in 0.0 m	0.0 lb-kg 0.0 m-kg	130 in 3.30 m	1105 in-lb 12.74 m-kg
D500-572-021 Narrow Bearpaw Installation	7.5 lb 3.41 kg	0.0 in 0.0 m	0.0 lb-kg 0.0 m-kg	130 in 3.30 m	975 in-lb 11.25 m-kg
D500-572-013 Bearpaw Installation	11.4 lb 5.17 kg	0.0 in 0.0 m	0.0 lb-kg 0.0 m-kg	128 in 3.25 m	1459 in-lb 16.80 m-kg
D600-572-015 Bearpaw Installation	11.4 lb 5.17 kg	0.0 in 0.0 m	0.0 lb-kg 0.0 m-kg	122 in 3.10 m	1391 in-lb 16.03 m-kg

5. PARTS LIST

Qty D500 -572 -011	Qty D500 -572 -021	Qty D500 -572 -013	Qty D600 -572 -015	Part Number	Description
X				D500-572-011	BEARPAW INSTALLATION
	X			D500-572-021	NARROW BEARPAW INSTALLATION
		X		D500-572-013	BEARPAW INSTALLATION
			X	D600-572-015	BEARPAW INSTALLATION
2				D2435	BEARPAW/
	2			D2671	BEARPAW
		2		D2995	BEARPAW
			2	D2996	BEARPAW
4	4	4		D2182B050	RUBBER CUSHION
			4	D2182B060	RUBBER CUSHION
8	8	8	8	D2274	RADIUS BLOCK
4	4	4		D2438	CLAMP
			4	D2519	CLAMP
8	8	8	8	D2529	WASHER
		8	8	AN4-13A	BOLT
8	8			AN4-15A	BOLT
8	8	8	8	AN960JD416	WASHER
8	8	8	8	MS21042L4	NUT (OR MS21042-4)
2	2			QS200M44S	CLAMP
			4	QS100M24S	CLAMP

• COPYRIGHT © 2001 BY DART AEROSPACE LTD. •

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.

Revision: A

Date: 01.02.21